

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 June 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
6/1																				
6/2																				
6/3																				
6/4																				
6/5																				
6/6	32	40	22	4	2	6	4	4	6	4	4	4	4	8	4	<2	10	4	40	
6/7																		6	2	
6/8																				
6/9																				
6/10																				
6/11																				
6/12																				
6/13	6	2	<2	6	<2	<2	2	2	2	2	8	<2	<2	4	2	2	2	<2	2	
6/14																		<2	10	
6/15																				
6/16																				
6/17																				
6/18																				
6/19																				
6/20	10	10	8	2	2	<2	2	8	<2	2	<2	<2	<2	<2	<2	<2	<2	2	4	
6/21																	<2	<2	18	
6/22																				
6/23																				
6/24																				
6/25																				
6/26																				
6/27	<2	2	<2	2	<2	<2	2	4	<2	<2	2	<2	2	<2	2	<2	<2	<2	<2	
6/28																		<2	<2	
6/29																				
6/30																				
7/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
4	16		6																	
12	4	16		8	10	6	6	<2	<2	10	6	>400	2	2	>400	6	4	6	116	
<2	2		<2																	
2	2	2		<2	<2	2	2	<2	<2	<2	4	292	4	<2	W400	<2	<2	<2	238	
2	<2		4																	
<2	2	8		<2	<2	<2	2	<2	<2	8	124	364	244	<2	W400	<2	<2	<2	246	
<2	2		2																	
<2	<2	<2		2	2	2	4	8	<2	8	<2	372	<2	<2	W400	<2	<2	<2	190	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
6	<2	10	>400	8
2	2	<2	136	72
<2	<2			<2
<2	<2			<2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.