

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1U	HB1	HB1D	HB2U	HB2	HB2D	HB3U	HB3	HB3D	21N
3/1																			
3/2																			
3/3																			
3/4																			
3/5																			
3/6																			
3/7	10	28	14	4	4	<2	2	14	16			4			<2			2	<2
3/8																			
3/9																			
3/10																			
3/11																			
3/12																			
3/13																			
3/14	12	6	2	<2	24	4	<2	136	<2			8			4			2	14
3/15																			
3/16																			
3/17																			
3/18																			
3/19																			
3/20																			
3/21	18	202	14	12	<2	<2	22	2	2	346	W400	>400	>400	W400	>400	6	W400	18	58
3/22																			
3/23																			
3/24																			
3/25																			
3/26																			
3/27																			
3/28	44	6	4	<2	<2	<2	<2	<2	6			2			<2			<2	<2
3/29																			
3/30																			
3/31																			
4/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB4U	HB4	HB4D	HB5U	HB5	HB5D	15N	12N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S
								30	26	46	>400		>400	>400	>400	>400	>400	>400	>400
		2			<2	<2	<2	2	12	20	10	2							
								<2	<2	8	<2		2	18	10	18	2	8	8
		8			<2	<2	2	<2	14	6	2	156							
								186	124	310	W400		W400	>400	<2	14	12	22	12
62	W400	100	W400	W400	264	92	70	126	144	338	>400								
								196	106	116	>400	W400	128	W400	>400	>400	240	144	176
		<2			2	6	<2	<2	<2	<2	16	168							
								10	8	140	40		222	44	22	2	8	6	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
14	16	>400	234	20	>400	26	40	56	>400	>400	48	24	>400	322
<2	<2	164	<2	<2	274	<2	<2	<2	78	<2	<2	<2	58	2
>400	W2000	W2000	W2000	>400	W400	>400	W2000	W2000	W2000	W2000	W2000	>2000	>2000	
66	92	>400	74	34	>400	50	60	54	>400	56	78	32	>400	184
4	24	198	2	>400	W400	<2	2	6	>400	2	>400	222	W400	2

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.