

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 April 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
4/1																				
4/2																				
4/3																				
4/4	200	270	170	<17	<17	17	<17	<17	<17	<17	<17	17	<17	33	<17	33	50	<17	17	
4/5																		<17	17	
4/6																				
4/7																				
4/8																				
4/9																				
4/10																				
4/11	33	67	50	17	<17	17	17	<17	<17	<17	17	<17	<17	<17	17	<17	<17	<17	<17	
4/12																		17	17	
4/13																				
4/14																				
4/15																				
4/16																				
4/17																				
4/18	400	900	>150	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	
4/19																		<17	17	
4/20																				
4/21																				
4/22																				
4/23																				
4/24																				
4/25	83	100	150	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	<17	
4/26																		17	<17	
4/27																				
4/28																				
4/29																				
4/30																				
5/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC	
33	50	>860																		
67	17		33	33	67	130	33	33	100	<17	150	4000	130	<17	2600	<17	<17	<17	400	
50	17	440																		
17	83		67	67	<17	<17	50	<17	<17	17	100	3400	>2700	<17	1900	17	<17	<17	2400	
50	33	17																		
<17	<17		33	17	17	<17	<17	<17	<17	<17	<17	2400	17	<17	>2100	<17	<17	<17	>1000	
17	<17	170																		
50	<17		17	<17	<17	<17	<17	<17	<17	<17	<17	>2300	<17	<17	>2000	<17	<17	<17	>400	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
17	<17	17	1200	33
17	<17	<17	1800	<17
<17	<17	<17	>4800	33
<17	<17	<17	>800	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.