

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Enterococci Bacteria (CFU/100mL)  
 Daily Monitoring Data  
 February 2019

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4U	HB4	HB4D	
2/1																				
2/2																				
2/3																				
2/4																				
2/5	>400	>400	>400	>400	178	230	280	350	276	>400	240	210	>400	306	264	256	232	>400	234	
2/6	192																			
2/7																				
2/8																				
2/9																				
2/10																				
2/11																				
2/12																				
2/13	36	34	78	6	2	<2	<2	<2	22	20	2		2	<2	2				2	
2/14	>400																			
2/15																				
2/16																				
2/17																				
2/18																				
2/19	84	70	30	50	10	<2	2	6	2	10	6		8	10	4				4	
2/20	40																			
2/21																				
2/22																				
2/23																				
2/24																				
2/25																				
2/26	38	12	12	6	<2	2	<2	<2	<2	32	6		8	10	4				<2	
2/27	8																			
2/28																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

HB5D	15N	9N	6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC
276	294	200 48	108 72	206 64	154 164	>400		>400	>400	164	38	72	118	16	16	334	62	10	172
<2	44	38 >400	14 >400	22 >400	86 >400	>400	>400	96	96	32	56	64	18	>400	>400	>400	>400	>400	>400
10	20	20 8	20 <2	48 276	16 14	>400	28	32	8	6	4	4	2		4	80	12		
144	<2	<2 <2	6 24	<2 20	32 4	118	28	<2	8	36	<2	<2	<2	2	26	330	2	<2	>400

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CONF - Confluence

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

PPCD	39S	WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
8	30	16	264	14	20	4	302	6	6	>400	76
>400	>400	>400	>400	>400	>400	>400	>400				
2	4	2	74	2	2	<2	88	10			
<2	2	<2	82	<2	<2	<2	42	<2	<2	412	<2

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CONF - Confluence  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.