

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
5/1																				
5/2																				
5/3	17	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	17	17	<17	<17	<17	<17	
5/4	17																		<17	50
5/5																				
5/6																				
5/7																				
5/8																				
5/9																				
5/10	800	380	400	17	<17	<17	<17	17	17	<17	<17	<17	<17	17	17	150	1200	>6100	>5100	
5/11	83																		<17	17
5/12																				
5/13																				
5/14																				
5/15																				
5/16																				
5/17	83	33	33	<17	<17	<17	<17	<17	<17	<17	<17	33	<17	<17	<17	17	<17	17	<17	
5/18	50																		<17	<17
5/19																				
5/20																				
5/21																				
5/22																				
5/23																				
5/24	83	67	100	67	<17	<17	<17	17	17	<17	<17	<17	<17	<17	<17	<17	17	<17	33	
5/25	>130																		<17	<17
5/26																				
5/27																				
5/28																				
5/29																				
5/30																				
5/31	50	50	100	<17	<17	<17	1200	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	33	<17	

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
<17	<17	<17																	
<17	<17		33	<17	<17	<17	<17	<17	<17	<17	33	>14000	33	<17	<17	17	400	<17	<17
>5700	>7000	>8700																	
33	83		380	<17	<17	<17	<17	<17	<17	17	180	8800	<17	<17	<17	<17	15	<17	270
<17	<17	<17																	
<17	<17		<17	<17	<17	<17	<17	<17	<17	<17	250	CWS	1000	120	67	<17	CWS	<17	<17
17	50	<17																	
<17	17		<17	<17	<17	<17	<17	<17	<17	<17	900	>5700	33	<17	<17	<17	>600	<17	800
<17	<17	<17																	

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
33	CWS	17	33
		17	<17
		17	<17
<17	>400	17	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.