

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 February 2023

| Date | OSB03 | OSB05 | OSB04 | OSB01 | OSUB1 | 39N | 33N | BCO-1 | 27N | HB1D | HB2U | HB2 | HB2D | HB3D | 21N | HB4D | HB5D | 15N | 12N | |
|------|-------|-------|-------|-------|-------|-----|-----|-------|-----|------|------|------|------|------|-----|------|------|-----|-----|--|
| 2/1 | | | | | | | | | | | | | | | | | | | | |
| 2/2 | | | | | | | | | | | | | | | | | | | | |
| 2/3 | | | | | | | | | | | | | | | | | | | | |
| 2/4 | | | | | | | | | | | | | | | | | | | | |
| 2/5 | | | | | | | | | | | | | | | | | | | | |
| 2/6 | | | | | | | | | | | | | | | | | | | | |
| 2/7 | 20 | 8 | 16 | 2 | 26 | 4 | <2 | 2 | 4 | 6 | | | 6 | 6 | 4 | 6 | 6 | 12 | 14 | |
| 2/8 | | | | | | | | | | | | | | | | | | | | |
| 2/9 | | | | | | | | | | | | | | | | | | | | |
| 2/10 | | | | | | | | | | | | | | | | | | | | |
| 2/11 | | | | | | | | | | | | | | | | | | | | |
| 2/12 | | | | | | | | | | | | | | | | | | | | |
| 2/13 | | | | | | | | | | | | | | | | | | | | |
| 2/14 | 14 | 4 | 2 | 2 | <2 | 8 | 2 | <2 | <2 | 10 | | | 4 | 6 | 12 | 8 | 2 | 6 | 4 | |
| 2/15 | | | | | | | | | | | | | | | | | | | | |
| 2/16 | | | | | | | | | | | | | | | | | | | | |
| 2/17 | | | | | | | | | | | | | | | | | | | | |
| 2/18 | | | | | | | | | | | | | | | | | | | | |
| 2/19 | | | | | | | | | | | | | | | | | | | | |
| 2/20 | | | | | | | | | | | | | | | | | | | | |
| 2/21 | 4 | 2 | 4 | 6 | 2 | 2 | 6 | 4 | <2 | <2 | | | <2 | 4 | <2 | 6 | <2 | <2 | <2 | |
| 2/22 | | | | | | | | | | | | | | | | | | | | |
| 2/23 | | | | | | | | | | | | | | | | | | | | |
| 2/24 | | | | | | | | | | | | | | | | | | | | |
| 2/25 | | | | | | | | | | | | | | | | | | | | |
| 2/26 | | | | | | | | | | | | | | | | | | | | |
| 2/27 | | | | | | | | | | | | | | | | | | | | |
| 2/28 | 344 | 288 | 292 | 74 | 44 | 48 | 60 | 134 | 82 | 80 | 106 | W400 | 364 | 106 | 126 | 144 | 46 | 28 | 26 | |
| 3/1 | | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| 9N | 6N | 3N | 0 | AR-N | TM | 3S | 6S | 9S | 15S | 21S | 27S | 29S | BGCU | BGC | BGCD | PPCU | PPC | PPCD | 39S |
|----|----|----|------|------|----|----|----|----|-----|-----|-----|-----|------|------|------|------|------|------|-----|
| 2 | 8 | 20 | 26 | | 16 | 32 | 14 | 8 | 10 | 4 | 68 | 2 | 4 | 254 | 52 | 2 | >400 | 2 | <2 |
| 6 | 12 | 20 | 12 | 4 | | | | | | | | | | | | | | | |
| 4 | 4 | 10 | 16 | | 10 | 14 | 24 | 6 | 18 | 4 | 6 | 4 | 32 | >400 | 2 | <2 | >400 | 2 | <2 |
| 6 | 4 | 2 | 6 | 26 | | | | | | | | | | | | | | | |
| 6 | 2 | 2 | 8 | | 8 | 18 | 74 | 46 | 42 | 16 | <2 | 16 | 2 | 236 | <2 | | | 2 | <2 |
| <2 | <2 | 10 | <2 | 36 | | | | | | | | | | | | | | | |
| 4 | 16 | 10 | 8 | | 4 | 30 | 4 | 20 | 24 | 26 | 64 | 32 | 2 | 150 | 4 | | | 10 | 8 |
| 26 | 46 | 24 | W400 | W400 | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| WFCU | WFC | WFCD | ONB39 | MDCU | MDC | MDCD |
|------|-----|------|-------|------|-----|------|
| 6 | 42 | 2 | <2 | 4 | 202 | 4 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 4 | 26 | 12 | 2 | 2 | 54 | <2 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 202 | 188 | 84 | 2 | 2 | 68 | 4 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 4 | 148 | 8 | <2 | 10 | 102 | 10 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.