

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 March 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
3/1																			
3/2																			
3/3																			
3/4																			
3/5	120	50	33	83	<17	17	17	<17	17	<17	17	<17	<17	17	33	<17	<17	<17	<17
3/6																		33	<17
3/7																			
3/8																			
3/9																			
3/10																			
3/11																			
3/12	700	100	100	<17	<17	<17	17	<17	<17	<17	<17	17	17	<17	<17	<17	<17	17	<17
3/13																		<17	33
3/14																			
3/15																			
3/16																			
3/17																			
3/18																			
3/19	100	<17	<17	<17	17	<17	<17	<17	<17	<17	<17	<17	<17	33	<17	<17	<17	<17	17
3/20																		50	17
3/21																			
3/22																			
3/23																			
3/24																			
3/25																			
3/26	220	350	150	<17	33	33	17	<17	17	33	<17	<17	17	33	17	<17	<17	17	<17
3/27																		17	17
3/28																			
3/29																			
3/30																			
3/31																			
4/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU	WFC
17	1100		>3900																
170	>2500	50		120	50	<17	<17	17	33	<17	200	>16000	50	<17	>4800	<17	<17	<17	>460
17	33		>940																
33	17	<17		700	130	100	<17	<17	<17	17	17	19000	>9500			<17	17	<17	1500
<17	CWS		CWS																
<17	<17	<17		17	<17	17	<17	<17	33	17	940	34000	150	17	>7400	17	33	33	800
33	17		33																
17	700	50		130	<17	<17	<17	33	<17	17	1100	7800	2800	17	3600	<17	<17	<17	1300

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
33	50	17	>1500	<17
<17	<17	<17	5200	<17
<17	67	<17	4200	17
1000	<17	33	2800	17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.