

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 November 2012

Date	39N	33N	27N	21N	15N	9N	6N	3N	0	3S	6S	9S	15S	21S	27S	29S	39S
11/1																	
11/2																	
11/3																	
11/4																	
11/5																	
11/6	<17	<17	<17	<17	<17	<17	17	<17	<17								
11/7						17	67	<17	17	<17	<17	<17	17	17	<17	<17	<17
11/8																	
11/9																	
11/10																	
11/11																	
11/12																	
11/13	<17	17	17	17	33	100	500	130	<17								
11/14						<17	900	67	<17	<17	33	<17	<17	<17	<17	17	<17
11/15																	
11/16																	
11/17																	
11/18																	
11/19																	
11/20	<17	<17	<17	<17	<17	<17	17	<17	50								
11/21						17	150	17	33	50	<17	<17	17	50	<17	33	<17
11/22																	
11/23																	
11/24																	
11/25																	
11/26																	
11/27	33	33	17	17	17	<17	67	50	<17								
11/28						700	620	17	<17	17	<17	<17	17	17	<17	180	<17
11/29																	
11/30																	

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluent With Sheen  
 CWOS - Confluent Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.